



Features

Quality as per Global Markets!

The new Cargo/Vendo GT has been produced according to the highest quality and safety standards in the Automobile industry. Homologated to European (WVTA), USA (DOT) and many other markets, the new Cargo/Vendo GT can be driven in more than 30 countries around the world.

Discover the possibilities!

Our new Cargo/Vendo GT has a huge cargo space with multiple door configurations and lots of autonomy. A solid business case for your next business start-up.

Silent & 100 % Electric

The eTuk Cargo/Vendo GT is silent & 100% electric.

More Mileage

With more than 125 km range with 15KwH Li-ion batteries, the new Cargo/Vendo GT is perfect for all your business needs.

Low Maintenance Costs

Less moving parts means less part failures and downtime well as lower overall maintenance costs.

High Return on Investment

Large cargo space, low maintenance costs, cheap & clean electric fuel and with her looks also a marketing killer, the e-Tuk Cargo/Vendo GT provides a solid business case and a high Return on Investment.





Color Options

ROOF AND RAIN COVERS



White

DRIVER & PASSENGER SEAT







White

Black

Beige

BODY COLORS AVAILABLE



White

The body of your eTuk can be wrapped in the color of your choice.



Vendo Box Door Configuration

Park





Lefthand side : canopy door

Rear : double door

Righthand side : canopy door





Lefthand side : single door



Rear - canony door



Righthand side : canopy door



Lefthand side : canopy door



Canopy

Rear : canopy door



Righthand side : canopy door

((e)))

Get real-time updates through ViS for








Trip Summary



Vehicle Errors



Warranty Items



Vehicle Intelligence System

The Vehicle Intelligence System (VIS) measures the performance of the vehicle & battery, shows live tracking, and with the add-on of sensors to the eTuks many more items can be measured. With the assembly of a hardware tool inside the eTuk a big number of parameters are measured. The parameter values are provided on the VIS platform, so that fleet owners can manage, be proactive and secure costs in an optimal way.

Small & big data provider

We analyze how cities and their transport networks/solutions are developing, to learn to manage urban systems which are becoming larger and more complex. Smart-driven vehicles are what we provide. Digital assistance is important to make our jobs easier.



Batteries That Meet Your Needs

The battery is the heart of an eTuk. Our team at eTuk Factory creates the functionality profile for your business case and provides you with the best-suited lithium-ion battery pack which is completely assembled in-house for your eTuk.

Quick facts of Lithium-ion Variants













Range

>130 Kms

Weight

140 Kg

Charging Time

5 hrs >1000

Battery Battery Lifecycle Life

3-5 years

Maintainance Free

We ensure every battery pack fitted in eTuk has



15 KwH

Overcharge Protection



Undercharge Protection



Over Temperature Temperature **Protection**



Under **Protection**



Balancing Protection



Insulation Resistance **Protection**



Fault Code **Display**

Specifications

VEHICLE

Maximum speed (km/h) 30-50	30-50
Battery and autonomy (km)*	
15 kWh Lithium	>125
Efficiency* (Wh/km)	80-120
EU vehicle category	L5e-B

SIZE & WEIGHT

Size (depending on BUILDUP)	
Length (mm)	3560
Width (mm)	1350
Height (mm)	2110
Track (mm)	1260
Wheelbase (mm)	2770
Turning radius (m)	8
Tyre size rear***	155/70R12
Tyre size front***	155/70R12
Maximum permissable mass	1600
Container load (pieces, SKD)	
40ft	3 Vendo GT

STANDARD FEATURES

Colour	Italian white
Driver seat	~
Three point seat belts on all seats	4
Smart box telematics system	√
230V Charging cable for home socket	✓
Enhanced regenerative braking	4
LED rear lamps	√
5V USB socket	√

DRIVE TRAIN

Motor type (AC induction) Motor nominal power (kW) Transmission Single speed with differential Reverse speed (km/h) Controller type Curtis AC 350A Max slope (at full load) %	7 7 10 4 25
Rearsuspension TYPE A Triangulated 4-bar rear suspension (4-link)	~
Coil springs (4-link)	V
Rear suspension TYPE B Leaf springs (Leaf spring)	~
Passenger seats Passenger entry side step	-
BUILDUP CARGO BOX Cargo size (internal)	
Length (mm) Width (mm) Height (mm)	1730 1270 1420
Floor height (mm) Cargo volume (ltr) Curb weight (kg)	550 3200
Lithium Curb weight (kg)	730
Lithium	800
BUILDUP PICKUP TRAY Cargo size (internal)	
Length (mm) Width (mm)	1730 1270
Height (mm) Floor height (mm)	1500 550
Curb weight (kg) Lithium	630
Maximum payload Lithium	800

AVAILABLE FACTORY OPTIONS

Appearance	
Custom colours	0
Custom roof print	0
Custom box print	0
Chrome kit (side bars & details)	0
Accessories	
Driver seat heating	0
Driver luxe comfort seat	✓
Towing hook (up to 400kg)**	0
DC/AC convertor (220 VAC plug)**	0
Cupholder	0
Weather protection and doors	
Rain covers (transparent tarpaulin)	0
Cargo space	
Closed cargo space	0
	Custom colours Custom roof print Custom box print Chrome kit (side bars & details) Accessories Driver seat heating Driver luxe comfort seat Towing hook (up to 400kg)** DC/AC convertor (220 VAC plug)** Cupholder Weather protection and doors Rain covers (transparent tarpaulin) Cargo space

- ✓ Standard I O Available option I Not available
- *efficiency and actual range will depend on speed, style of driving, weather and route conditions.
- **available from Q3 2023, check with your distributor.
- ***different tire possible, including 13 inch (rear only), check with your distributor. Tires affect max payload, efficiency, etc.



info@etukfactory.com









